

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A client configurable web based imaging page redirector system, comprising:

at least one processor at a client programmed with client software at a client for receiving content from an imaging source at an external web site, wherein the content includes a designator to take a processing action with respect to at least a portion of the content;

redirector software loaded in the client that uses a programmatic interface to obtain information; at an external site that is not located at a proxy server to determine based on a rule at least one destination reference to a desired web page destination or web based imaging service to perform the processing action;

a storage mechanism accessible by the client software for storing a redirector reference to the redirector software; and

the client software operating to receive the content to be processed and access the redirector reference and access redirector software and obtain the destination reference

the redirector software being executed to access the programmatic interface to obtain the information;

the redirector software changing at least one designator to be displayed based on the information; and

software for initiating a display of the changed at least one designator.

2. (Cancelled).

3. (Cancelled).

4. (Original) The system as defined in claim 1, wherein the client software is a printer driver.
5. (Currently amended) The system as defined in claim 1, wherein the programmatic interface comprises ~~further comprising the element of~~ a configuration page, displaying to the user a set of web page or web based imaging service options;
receiving a selection of one of the options from the user; and
storing a reference to the selected option ~~as the destination reference~~.
6. (Currently amended) The system as defined in claim 1, wherein the programmatic interface ~~redirector software~~ includes code which looks for a cookie or other storage on a user's system that ~~has a~~ identifies the at least one designator ~~destination reference~~.
7. (Currently amended) The system as defined in claim 1, wherein the redirector software includes code that calls an API method for obtaining the at least one designator ~~destination reference~~.
8. (Previously presented) The system as defined in claim 1, wherein the redirector software includes code to select a destination reference based on a plurality of rules.
9. (Currently amended) The system as defined in claim 8, wherein the rules include at least a first rule that provides ~~a~~ at least one first designator ~~first destination reference~~ if a user's system is inside of a firewall, and a second rule that provides at least one second designator ~~a second destination reference~~ if the user's system is outside of the firewall.
10. (Currently amended) The system as defined in claim 5[1], wherein the configuration page ~~redirector web page~~ includes a hierarchy of designators ~~destination references~~ and further comprises code for automatically selecting the at least one designator ~~destination reference~~ according to the hierarchy based on a rule of availability.
11. (Original) The system as defined in claim 1, wherein the redirector software selects a local service to access based on a location of a user's system, and accesses that service to determine the availability of a local image processor service.
12. (Currently amended) The system as defined in claim 11, wherein the redirector software selects ~~a~~ the at least one designator ~~destination reference~~ based on a first rule that if a

local printer service is available, then selecting a ~~the at least one designator~~destination reference for that local printer service, and a second rule that if no local printer service is available, then selecting a default ~~at least one designator~~destination reference.

13. (Currently amended) The system as defined in claim 1, wherein the information obtained by the programmatic interface ~~client software~~ causes the user's browser to browse to a web site to obtain the at least one designator ~~the redirector reference~~.

14. (Original) The system as defined in claim 1, wherein the client software uploads the content to a personal imaging repository.

15. (Currently Amended) A client configurable web based imaging page redirector method, comprising:

~~storing a redirector reference to redirector software at a website that is not a proxy server, wherein the client has a browser;~~

a client programmed with a ~~the browser~~ obtaining via the browser web content to be processed from an external imaging source, wherein the web content includes a designator to take a processing action with respect to at least a portion of the web content obtained from the imaging source; and

~~when the designator is designated, accessing the redirector reference and directing the browser to the redirector software~~ that uses a programmatic interface to obtain information; and

~~determining via the redirector software based on a rule at least one destination reference to a desired web page destination or web based imaging service~~ executing the redirector software to access the programmatic interface to obtain the information;

the redirector software changing at least one designator to be displayed based on the information; and

displaying the changed at least one designator.

16. (Currently amended) The method as defined in claim [13]~~15~~, wherein the programmatic interface comprises ~~further comprising~~ the step of a displaying to the user a set

of destination page or web based imaging service options;
receiving a selection of one of the options from the user; and
storing a reference to the selected option ~~as the destination reference~~.

17. (Currently amended) The method as defined in claim [13]~~15~~, wherein the programmatic interface obtains information ~~determining step~~ looks for a cookie or other storage on a user's system that identifies the at least one designator ~~has the destination reference~~.

18. (Currently amended) The method as defined in claim 15, wherein the redirector software ~~determining step~~ calls an API method for indentifying the at least one designator ~~obtaining the destination reference~~.

19. (Currently amended) The method as defined in claim 15, wherein the determining step comprises selecting the at least one designator ~~destination reference~~ based on a plurality of rules.

20. (Currently amended) The method as defined in claim 15, wherein the determining step includes a hierarchy of the designators ~~destination references~~ and automatically selects the at least one designator ~~destination reference~~ according to the hierarchy based on availability of a ~~the destination web site or web based imaging service web site~~.

21. (Currently Amended) A program product for a client configurable web based imaging page redirector method, comprising:

a machine-readable medium that comprises machine readable program code cabable of causing, when executed, a machine to perform the following steps

~~storing a redirector reference to redirector software that is not a proxy server;~~

a browser in a client obtaining web content to be processed, the web content including a designator to take a processing action with respect to at least a portion of the web content, the browser accessing the redirector reference and browsing to the redirector software; and

~~determining via the redirector software based on a rule at least one destination~~

~~reference to a desired web page destination or web based imaging service~~

executing the redirector software to access the programmatic interface to

obtain the information;

the redirector software changing at least one designator to be displayed based

on the information; and

displaying the changed at least one designator.